

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 December 2005 (29.12.2005)


PCT

(10) International Publication Number
WO 2005/125123 A1

- (51) International Patent Classification⁷: H04L 12/56, G06F 13/24, 13/26 (74) Agent: WILLIAMS, David, John; Page White & Farrer, 54 Doughty Street, London WC1N 2LS (GB).
- (21) International Application Number: PCT/TB2005/001971 (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (22) International Filing Date: 14 June 2005 (14.06.2005)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 0413482.1 16 June 2004 (16.06.2004) GB
- (71) Applicant (for all designated States except US): NOKIA CORPORATION [FI/FI]; Keilalahdentie 4, FIN-02150 Espoo (FI).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): KYTOMAA, Jouni [FI/FI]; Kyyhkysmaki 14 A 8, FIN-02600 Espoo (FI). PELTONEN, Janne, K. [FI/FI]; Strombergintie 8 C 78, FIN-00380 Helsinki (FI).
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: PACKET QUEUING SYSTEM AND METHOD



(57) Abstract: There is disclosed a method of queuing packets received at an input to at least one device for processing, the method comprising the steps of: allocating each received packet to at least one arrival queue of the device; placing each packet in the allocated queue if said queue is not full, otherwise dropping said packet; scheduling packets from the device arrival queue to at least one transfer queue; responsive to transfer of a packet to a transfer queue, generating an interrupt from the device to a processor; at the processor, responsive to receipt of an interrupt, allocating the packet to one of a plurality of processor queues; placing the packet in the allocated processor queue if said queue is not full, otherwise dropping said packet; and scheduling packets from the processor queues for processing.

WO 2005/125123 A1

BEST AVAILABLE COPY



Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

BEST AVAILABLE COPY